

**Work Order ID 64326**

December 2, 2010 11:19:35 AM

Page 1

Item ID: D3215-041

Accept

Setup Start

Revision ID:

Stop

Item Name: Belt Assembly

Start Date: 12/02/10 Start Qty: 2.00

Cust Item ID:

Required Date: 12/09/10 Req'd Qty: 2.00

Customer:

Reference:

Approvals: Process Plan: CL Date: 10/12/02 Tooling:

Date:

Run Start

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_

Date:

Stop

Sequence ID/  
Work Center IDOperation  
DescriptionSet Up/  
Run Hours

Tool ID

Tool #

Plan  
CodeAccept  
QtyReject  
QtyReject  
NumberInsp.  
Stamp

Draw Nbr

Revision Nbr

D3215

Rev D

100

0.00



PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 13052 to Tulmar Safety Systems  
D3215-041 as per Dwg D3215  
Ship to Tulmar  
Certificate of Conformity is required

CL 10/12/02 (2)

110

0.00



Receive &amp; Inspect for Damage &amp; Mat'l Certs

Packaging

Memo

0.00

Packaging

Ensure certificate of conformity is attached

RL 11/12/08 (2)

120

0.00



QC6- Inspect dimensions to drawing

QC

Memo

0.00

Quality Control

Swirlos(12)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**Work Order ID 64326**

Page 2

December 2, 2010 11:19:35 AM

Item ID: D3215-041

Accept



Setup Start



Revision ID:

Stop



Item Name: Belt Assembly

Start Date: 12/02/10 Start Qty: 2.00



Cust Item ID:

Required Date: 12/09/10 Req'd Qty: 2.00



Customer:

Reference:

Run Start



Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Stop



QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location <u>267</u>	0.00							
	Packaging								
	Memo	0.00							
	Packaging								
140	QC21- Final Inspection - Work Order Release	0.00							
	QC								
	Memo	0.00							
	Quality Control								

10/12/8 SP QD

10/12/8 JF

MF  
10-12-08

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

# Picklist Print

Page 1

December 2, 2010 11:19:34 AM

Work Order ID: 64326



Parent Item: D3215-041



Parent Item Name: Belt Assembly

Start Date: 12/02/10

Required Date: 12/09/10

Start Qty: 2.00

Required Qty: 2.00

Comments: IPP A 03.10.28 New Issue KJ/RF  
IPP B 07.06.12 ccn 940 EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D3215-041P 		Purchased	No			110	Each	0.0000	1	2			
Harness Assembly													
D3215-3 		Manufactured	No			100	Each	0.0000	1	2			
Webbing Tidy													
D3216-1 		Manufactured	No			100	Each	5.0000	1	2			
Fitting													

Location

Loc Qty

Loc Code

ST045

5

55552

5

2

*64326*

*B64327*

*02/02/07 42*

*02/10/12/02*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

**DART**


DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>[Signature]</i>	DRAWING NO. D3215	REV. D SHEET 1 OF 3
DATE 07.03.27	TITLE BELT ASSEMBLY		SCALE NTS
A	03.09.19	NEW ISSUE	
B	04.01.12	AS MANUFACTURED; ADD TOLERANCE	
C	04.03.05	REDUCE LENGTH; CLARIFY STITCHING	
D	07.03.27	ADD WEBBING SUPPLIER; ADD LABEL THREAD AND MATERIAL; IN VIEW A-A, 1.4 WAS 1.8; ADD -3A AND -3B; UPDATE TOLERANCES	



**ASSEMBLY DETAIL**  
NOT TO SCALE

**PARTS LIST:**

QTY	P/N	DESCRIPTION
X	D3215-041	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
1	D3215-3	WEBBING TIDY
1	D3216-1	WEBBING ADJUSTER

**D3215-041 BELT ASSEMBLY:**

- MATERIAL: WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 5700 lb MIN  
OR BELT TECH CANADA INC. 27039, 1.8 WIDE x 0.05 THICK BLACK POLYESTER WEBBING, CERTIFIED TO FAR 29.853A3, TENSILE STRENGTH 6000 lb MIN  
WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3, BLACK NYLON THREAD  
LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F, BLACK NYLON THREAD
- ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.
- TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- SEE SHEET 3 FOR VIEW A-A

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries




**DART**

DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>H</i>	DRAWING NO. D3215	REV. D SHEET 2 OF 3
DATE 07.03.27		TITLE BELT ASSEMBLY	SCALE NTS

**D3215-043 BELT ASSEMBLY:**

- 1) MATERIAL:  
WEBBING = LAGRAN CANADA INC. 26472, 1.8 WIDE  
x 0.05 THICK BLACK POLYESTER WEBBING,  
CERTIFIED TO FAR 29.853A3, TENSILE  
STRENGTH 5700 lb MIN  
OR  
BELT TECH CANADA INC. 27039, 1.8 WIDE  
x 0.05 THICK BLACK POLYESTER WEBBING,  
CERTIFIED TO FAR 29.853A3, TENSILE  
STRENGTH 6000 lb MIN  
WEBBING THREAD = V-T-295 TYPE II CLASS A SIZE 3,  
BLACK NYLON THREAD  
LABEL THREAD = V-T-295 TYPE II CLASS A SIZE F,  
BLACK NYLON THREAD
- 2) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED.
- 4) SEE SHEET 3 FOR VIEW A-A

**RELEASED**07.06.07 *H***ASSEMBLY DETAIL**  
NOT TO SCALE

w10.64326


PARTS LIST:		
QTY	P/N	DESCRIPTION
X	D3215-043	BELT ASSEMBLY
AS REQ'D	SEE NOTE 1	WEBBING
AS REQ'D	SEE NOTE 1	WEBBING THREAD
AS REQ'D	SEE NOTE 1	LABEL THREAD
1	D3215-1	LABEL
2	D3215-3	WEBBING TIDY
2	D3216-1	WEBBING ADJUSTER

Copyright © 2003 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

**DART**


DESIGN <i>GP</i>	DRAWN BY <i>CB</i>	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED <i>CE</i>	APPROVED <i>#</i>	DRAWING NO. D3215	REV. D SHEET 3 OF 3
DATE 07.03.27	TITLE HARNESS ASSEMBLY		SCALE 3:2

**VIEW A-A****D3215-1 LABEL:**


- 1) MATERIAL: WHITE TYVEK OR WHITE POLYESTER WHICH MEETS FMVSS 302
- 2) USE 1/8 BLACK LETTERING
- 3) CENTER ON BELT WIDTH

**RELEASED**07.06.07 *#***GENERAL NOTES:**

- 1) BREAK ALL SHARP EDGES 0.005 TO 0.010
- 2) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED

**D3215-3A/-3B NOTES:**

- 1) MATERIAL: 5052-H32 ALUMINUM SHEET, 0.040 THICK PER QQ-A-250/8 OR AMS 4016 (REF DART SPEC. M5052H32S.040)
- 2) BEND D3215-3A PER D3215-3

**D3215-3 WEBBING TIDY****D3215-3 NOTES:**

- 1) WELD PER DART QSI 004
- 2) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT BLACK SANTEX (4.3.5.7) PER DART QSI 005 4.3

**Copyright © 2003 by DART AEROSPACE LTD**

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID PO13052

Purchase Order Date 12/02/10

PO Print Date 12/02/10

Page Number 1 of 1

Order From :

VC-TUL001

TULMAR SAFETY SYSTEMS  
1123 CAMERON ST  
HAWKESBURY, ON K6A 2B8  
CA

Contact Name

Vendor Phone

613 632 1282

Vendor Fax

613 632 2030

Vendor Account Nbr

Buyer

Chantal Lavoie

Requisition Nbr

Tax Resale Nbr

10127-2607

Terms

Net 30

Currency

CAD

FOB

Destination-Collect

Ship To :

DART AEROSPACE LTD

1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**FAXED**  
12/10/2010

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	D3215-041P	Harness Assembly	12/09/10 Yes	2.00 Each	Dart Truck	\$17.0000	\$34.00

Special Inst: AS PER DWG D3215 REV. D  
B64326

PO Total:

\$34.00

CERTIFICATE OF CONFORMITY  
REQ'D UPON DELIVERY

MATERIAL CERTIFICATION  
REQ'D UPON DELIVERY

Change Nbr: 1

Change Date: 12/02/10

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

# PACKING SLIP

# TULMAR

Tulmar Safety Systems Inc.  
1123 Cameron Street  
Hawkesbury, ON K6A 2B8 CA  
Tel: 613-632-1282  
Fax: 613-632-2030  
MID : XOTULSAF1123HAW  
email: info@tulmar.com

## COPY

Packing Slip No.

**38004**

Ship Date

8-Dec-10

Bill To:

**Dart Aerospace**

1270 Aberdeen Street

Hawkesbury, ON K6A 1K7. Canada

Ship to:

**Dart Aerospace**

1270 Aberdeen Street

613-632-9577

Hawkesbury, ON K6A 1K7. Canada

Order number

25757

Sales order date

2-Dec-10

Account number

CDART100

Account manager

Barney Bangs

PO number

PO13052

Ship Via

Pick-Up

Shipping Terms

FOB HAWKESBURY

Item No.

Description

Quantity ordered

UOM

Qty Shipped/Returned

Quantity on back order

8937

Belt Ass'y, /2" wide, Black Webbing

Drawing No: D3215 (P/N D3215-041)

DWG Rev: D

Line 1

Lot No: BATCH0000000027 Qty: 2

Priority Rating: SHIP ASAP

2

EA

2

*8 orders*

Shipper

*Barney Bangs*

Date:

DEC 08 2010

### Certificate of Conformance

☐ Not Applicable

☒ See Certification Enclosed

I hereby certify that the items listed hereon have been inspected, and / or tested (as applicable), conform to all specifications and requirements detailed in the contract or purchase order. Objective evidence to support this statement is on file, and can be made available upon request.

If any questions or concerns, please contact QA Manager @ 613-632-1282 ext. 245.

Authorized Inspector

*Lorraine LeLiberte*

Date:

DEC 08 2010



# cansew inc.

formerly / anciennement  
Canadian Sewing Supply Ltd. / Ltée - established / établie 1924

Manufacturers of sewing threads. / Wholesalers of elastics, Velcro, tapes, trimmings.  
Fabricants de fils à coudre. / Grossistes d'élastiques, Velcro, galons, garnitures.

21 August 2008

Tulmar Safety Systems  
1123 Cameron Street  
Hawksbury, Ontario  
K6A 2B8


Att. Sandra Nadeau

## CERTIFICATE OF COMPLIANCE

This is to certify that the items mentioned below, shipped to Tulmar Safety Systems by CANSEW INC. on 21 August 2008, have been produced in accordance with the requirements of Purchase Order no. 14637-00 of the same date:

- SS 2530 -Bonded Nylon CBB92 - 19.3 lb, colour black, lot # 675301, meeting the requirements of specification V-T-295, Type 2, Class A, Size F
- SS 2524 -Bonded Nylon CBB92 - 39.76 lb, colour OG-107, lot # 614998 and 667896, meeting the requirements of specification V-T-295, Type 2, Class A, Size F
- SS 2525 -Bonded Nylon CB207 - 20.96 lb, colour black, lot # 656160, meeting the requirements of specification V-T-295, Type 2, Class A, Size 3, 3 ply

Yours truly,

  
Hershie Schachter  
CANSEW INC.

TSS 2530/17

**MONTREAL - Head Office/Siège social**  
111 Chabanel W / O H2N 1C9  
Administration (514) 382-2807  
Commandes/Orders (514) 382-2801  
1-800-361-7722  
FAX: (514) 385-5530

TSS 2524/60

**TORONTO**  
28 Apex Rd. M6A 2V2  
(416) 782-1122  
1-800-387-8584  
FAX: (416) 782-8358

**WINNIPEG**  
1674 Church Ave R2X 2W9  
(204) 942-4264  
1-800-665-0701  
FAX: (204) 947-9280

TSS 2525/40 RA

**CALGARY**  
3932 - 29th St. N.E. T1Y 6B6  
(403) 291-4494  
1-800-667-4197  
FAX: (403) 291-5139

**VANCOUVER**  
1615 Venables St. V5L 2H1  
(604) 682-4341  
1-800-580-0737  
FAX: (604) 682-4196

info@cansew.ca

www.cansew.ca



1695 Cedarline Drive  
Rock Hill, SC 29730

## Certificate of Compliance

DATE: 3/12/08

AVERY PRODUCT NUMBER: 25KAMSAFE

CUSTOMER P/O NUMBER: 13925-00

CUSTOMER: Tulmar Safety Systems Inc.

PRODUCT: 2360NWT 1 3/8" (152360136) 15111 1 3/4" (100011625)

QUANTITY SHIPPED: 1

LOT NUMBER: 7514135 ; 580059 - 580095

DATE OF MANUFACTURE: 12/17/07 ; 2/27/08 - 3/6/08

ROLL NUMBER: \_\_\_\_\_

SHELF LIFE: 2 years

We certify that the product,

25KAMSAFE /KIT, LABEL, WHITE, BLACK INK  
500 THERMAL PRINTER, TAPE FLAME RESISTANT FMVSS302  
TULMAR ITEM # 22019-001

was manufactured, inspected and conforms to specifications applicable to the product.

Signature: \_\_\_\_\_

Title: \_\_\_\_\_

TSS # 22019-001/02

# Belt-Tech Products Inc.

Certificate of Compliance No : 56 412 (Épreuve)

Page : 1 de 1  
Date : 2010-10-28  
Time : 09:45:22

Pattern : 27039

Color : CG008 BLACK

Customer : TULMAR SAFETY SYSTEMS  
Nissan

Width : 47.000

Meters : For quantity, please  
refer to packing list

Dye lot No : 432674

Warp Order :

Test Date : 2010/10/22

Legend : Y = Good - Pass  
N = Fail

## Customer Part Number

Test Method	Date	Type of Test	Min. Spec.	Max. Spec.	Median	Test 1	Test 2	Test 3	
FMVSS 209	2009/10/01	Width - no load (mm)	46.000	48.000	47.930	47.840	47.970	47.930	Y
SAE J 882	2007/09/01	Thickness - original (mm)	1.140	1.400	1.175	1.185	1.175	1.175	Y
ASTM D-3775	2008/07/01	Picks per cm	7 000		7.200	7.200	7.200	7.200	Y
FMVSS 209	2009/10/01	Elongation - @ 11.1 kn load (%)		20.000	6.310	6.310	6.120	6.640	Y
FMVSS 209	2009/10/01	Tensile - original (lbs)	6,700.000		7,167.000	7,167.000	7,086.000	7,182.000	Y
FMVSS 209	2009/10/01	Tensile - hex-bar % of original	75.000		91.700	91.500	91.900	91.700	Y
FMVSS 209	2009/10/01	Tensile - hex-bar % of original	3.000		4.000	4.000	4.000	4.000	Y
AATCC TM 8	2007/01/01	Crocking "wet"	3.000		4.500	4.500	4.500	4.500	Y
AATCC TM 8	2007/01/01	Crocking "dry"	3.000		4.500	4.500	4.500	4.500	Y
AATCC TM 107	2009/01/01	Dye stability (staining) *	3.000		4.500	4.500	4.500	4.500	Y

Specification(s) :

FMVSS 209 revised on 2008-10-01

FMVSS 302 revised on 2008-10-01

Comment(s) - WE CERTIFY THAT THE FLAMMABILITY TESTS ARE ALSO INDICATIVE OF TESTS PERFORMED AGAINST  
SPEC. FAR. 25-853 A

81012608

This is to certify that this product conforms to the specification(s) mentioned above and the requirement(s) outlined in the  
Purchase Order # 18440-00 and was tested at  $22 \pm 3^{\circ}\text{C}$  temperature and 45-55 % relative humidity.

Not applicable for downgraded (second) material

If this document is not signed, it is to be regarded as a non-controlled version

Tested by :

Approved by :

4.10-1403E (2010-03-31)

TSS 2281/12



**American & Efid Inc.**  
**Post Office Box - 507**  
**Mount Holly, NC -28120**

### Test Report

Date : 8/5/2010

Mfg. Date : 3/27/2010

Quantity: 43

Lot Id : 705150

Product : Tex 90 BONDED 'Z' NYLON FILAMENT Black AA 63002 16 OZ

Specification : A-A-59826 TPII CLA F BT92N4

Customer Order Number : 17499-00

Plys (Visual) : 4

Twist Direction : Z

Customer : Tulmar Safety INC.

A&E Color : 63002 Black  
AA

Shipped To : Tulmar Safety INC.

Description : Bright, Continuous Multifilament Nylon, Melting Point >472F; Colorless Nylon Polymer Bond;  
Polypropylene Spools

Characteristic	Test1	Test2	Test3	Test4	Test5	Average	Minimum	Maximum
Strength #1 (Pound)	15.2	15.7	15.6	15.7	15.8			
Strength #2 (Pound)	15.4	15.1	15.2	15.4	14.8			
Average Strength (Pound)						15.4	11.8	

Elongation #1 (Percent)	20.5	22.4	21.8	22	21.8			
Elongation #2 (Percent)	22.3	21.4	21.9	22.5	21.1			
Average Elongation (Percent)						21.8		26

Lube						Pass	Pass
------	--	--	--	--	--	------	------

Twist S #1 (Turns per inch)	12.2	12.2	12.2	12.2	12.2			
Twist S #2 (Turns per inch)	12.2	12.2	12.2	12.2	12.2			
Average Twist S (Turns per inch) Initial Twist						12.2		

Twist Z #1 (Turns per inch)	8.1	8.1	8.1	8.1	8.1			
Twist Z #2 (Turns per inch)	8.1	8.1	8.1	8.1	8.1			
Average Twist Z (Turns per inch) Final Twist						8.1	5.5	

Yield #1 (Yards/Pound)	4211.8							
Yield #2 (Yards/Pound)	4114.7							
Average Yield (Yards/Pound)						4163.2	3601	5200

Laundry #1 (Grading Scale)	5							
Laundry #2 (Grading Scale)	5							
Average Laundry (Grading Scale)						5	3	



frmGovernment

Dry Cleaning #1 (Grading Scale)	5
Dry Cleaning #2 (Grading Scale)	5
Average Dry Cleaning (Grading Scale)	

5	3
---	---

Perspiration #1 (Grading Scale)	5
Perspiration #2 (Grading Scale)	5
Average Perspiration (Grading Scale)	

5	3
---	---

Color Fastness to Light #1 (Grading Scale)	5
Color Fastness to Light #2 (Grading Scale)	5
Average Color Fastness to Light (Grading Scale)	

5	3
---	---

I certify that the above test were performed under my supervision and in accordance with the specification test requirements and that the reported test results are true, valid and applicable to the samples tested. I further certify that these samples were the only samples tested from the lot of components identified above.

Signed : *Joseph D. Munday*

Joseph D. Munday  
Testing Director

**Note**

This Certificate of Compliance is the property of American & Efird Inc. and may not be reproduced except in it's entirety.

TSS 2530/47 (S)